

Design for life.

Coffee Systems



Your Perfect Cup of Coffee... at Your Fingertips

Coffee Systems by Miele

Intense aromas. Incredible flavours. Enticing new blends. With the easy-to-maintain Miele Coffee System, your favourite coffees, lattes and cappuccinos are always served at the right temperature at the push of a button. So whether you're leaving for work or relaxing after a meal, you can always find time for a warm beverage from Miele.

Contents


Introduction

Miele Coffee System	4
Built-In System Options	6
Coffee Specialities	8

Product Advantages

Miele Coffee System Highlights	10
Further Product Advantages	12

Glossary	14
----------	----





A Miele coffee system simplifies and perfects the art of making delicious, freshly-ground coffee at home. Everything is programmable and perfectly automated, including maintenance, for a completely stress-free experience. Relax and focus on thoroughly enjoying your espressos, cappuccinos and lattes at the touch of a button.

Miele Whole Bean Coffee Systems

Freshly Grinding Beans to Perfection



Miele offers both built-in and countertop coffee systems that always guarantee exquisite coffee.



Whole Bean Coffee Systems

We understand your choice of coffee bean is important. With Miele, each cup will be made from those freshly ground beans, making every cup, more personal and refined. Adjustable grind settings couple with an integrated frothing system to create a machine so versatile it will satisfy even the most inspired barista.

The Right Type for Every Kitchen

Built-In System Options



Built-In Whole Bean Coffee Systems

The Miele built-in coffee system fits in seamlessly with other Miele built-in appliances, whether installed in a vertical or horizontal configuration. The system is 24" wide (60cm) and also available with a trim kit to fit into a 30" niche. It is available in either Black and stainless steel or Brilliant White.



Plumbed or Tank Versions

Choose either a plumbed version, which offers the convenience of a direct water connection, or a non-plumbed version that maximizes installation flexibility via a self-contained water reservoir.



Coffee for Connoisseurs

Café Style Beverages Made with Miele Coffee Systems

Drinking coffee has become a well-established ritual in our daily lives. Coffee can be enjoyed at any time of the day: for breakfast, as an afternoon treat or in the evening after a special meal with guests.

Traditional coffee beverages from many regions have developed into café style beverages. The most popular beverages are Italian specialties, such as cappuccinos, latte macchiatos and espressos. The main differences between these beverages are the degrees at which the beans have been roasted and the quantity of milk added. It is the type of process used to prepare a coffee which is central to achieving its robust flavour.





Espresso

Impresses with its intense flavour and perfect crema.



Coffee

Simply made with water and freshly ground coffee.



Cappuccino

A perfect combination of espresso and frothed milk.



Latte Macchiato

A composition of strong espresso, hot milk and milk froth in a layered and beautiful presentation.

Miele Creates the Perfect Cup of Coffee

Product Features of Miele Built-In Whole Bean Coffee Systems

OneTouch and OneTouch for Two

The Miele coffee system can prepare one or two specialty coffee beverages at the touch of a button. The OneTouch for Two function allows two cups portions to be made at the same time. Using the OneTouch function allows you to prepare a cappuccino or latte macchiato under just one central spout and eliminates the need to move your glass or cup when preparing your favourite milk based beverage.





Aromatic System

Intense coffee aroma and intelligent technology achieve the best possible results.



Exclusive to Miele **CupSensor**

The Miele CupSensor recognizes the rim of the cup and alters the position of the central spout according to the height of the cup, which reduces coffee splashback and concentrates flavour and heat.



Exclusive to Miele **EasyClick Milk Flask**

Innovative and available only from Miele, this convenient milk container simply clicks into and out of place at the front of the machine.



Exclusive to Miele **Automatic Rinsing**

After the preparation of specialty beverages with milk, the appliance is automatically rinsed. This is crucial for sanitary care of the milk lines sanitary and it helps reduce long-term maintenance.



Exclusive to Miele **ComfortDoor**

The front of the coffee system opens for convenient access to the bean, water and grounds containers and the drip tray, making machine care easy.

Additional Features

Features of Miele Whole Bean Built-In Coffee Systems




Exclusive to Miele **Optional Plumbed-In Model**
Time-saving and convenient, the plumbed-in model with fresh water connection eliminates the need for water container replenishment.



User Profiles
Up to 10 individual user profiles personalize your coffee experience.



Removable Brew Unit
The brew unit is easy to remove and clean, ensuring hygienic preparation, longevity and delicious coffee.



ComfortClean
Many components are dishwasher-safe, making it easy to give your built-in coffee system a thorough cleaning.



Automatic Rinsing and Cleaning Programs
The cleaning programs in combination with the rinse function ensure optimal and hygienic results.



Coffee Pot Function
Convenient for entertaining, up to eight cups of coffee can be produced at once.



Ground Coffee Chute
No need to replace beans for a second type of coffee, such as a cup of decaf. Simply use the ground coffee chute for an alternate type of coffee.



Adjustable Central Spout
Adaptable height: from 3.35" to 6.5", the central spout is made to suit anything from espresso cups to latte macchiato glasses.



Conical Grinder
The conical grinder grinds coffee beans both evenly and thoroughly, creating a superior aroma.



Timer Functions

Switch-on and switch-off times can be programmed as needed, so you can wake up to freshly brewed coffee.



BrilliantLight

Soft LED lighting creates dramatic lighting and a feature spotlight.



Eco Mode

In eco mode, the coffee system only heats up just before the preparation process starts.



System Lock

Safety first: this function prevents unintentional operation, for example by children.



CleanTouch Steel™

This innovative finish resists fingerprints, scratches and smudges. The exterior of the coffee system stays cleaner and is easier to maintain.

Additional Information

Miele Coffee Systems Glossary

Adjustable Central Spout

The central spout can be adjusted from 3.35" to 6.5". From a small cup of espresso to a tall glass for a latte macchiato, all specialty beverages can be made without any loss of heat.

Aromatic System

The dynamic Miele brew unit expands when water flows in, allowing the coffee and water to blend more intensely. This results in a more aromatic coffee. After brewing, the volume of the chamber reduces and the coffee grounds are pressed and ejected into the coffee grounds waste container.

Automatic Rinsing

After making specialty beverages with milk, automatic cleaning of all milk lines commences. The machine will also rinse itself when it is turned on or off.

Automatic Rinsing and Cleaning Programs

The convenient cleaning programs in combination with the automatic rinse function achieve superior results in terms of handling and hygiene. Limescale and soiling are prevented before they can form. This guarantees long-term durability and helps maintain your machine in excellent working condition.

Automatically Pre-Warmed Cups

If connected to a Miele warming drawer, the coffee system automatically switches on the warming drawer half an hour before the programmed switch-on time, guaranteeing a perfectly warmed cup of coffee.

BrilliantLight

Soft LED lighting places every cup in the spotlight, ensuring a pleasant atmosphere in your kitchen.

CleanTouch Steel™

This innovative finish resists fingerprints, scratches and smudges. A special treatment stands up to aggressive handling – keeping the exterior of the coffee system cleaner and easier to maintain.

Coffee Pot Function

At the touch of a button, the CVA 6000 delivers up to 8 cups of coffee directly into the coffee pot placed below the spout.

ComfortClean

The ComfortClean system makes cleaning extremely easy. Many of the coffee system components, such as the water reservoir and waste container, are dishwasher safe.

ComfortDoor

Patented ComfortDoor: thanks to the patented ComfortDoor, exclusive to Miele, the whole machine front swings outwards to allow easy access to the water reservoir, the bean and waste containers, and the drip tray.

Conical Grinder

Miele uses only the very best grinders in its coffee systems to ensure optimal coffee aroma. The conical grinder, made from high-quality, resilient steel, provides a uniform grind and protects the aroma.

CupSensor

The CupSensor detects the rim of the cup and adjusts the central spout height accordingly. The ideal gap prevents splashes and helps achieve the perfect temperature for the coffee with an excellent crema. After the delivery of milk, the central spout moves up about a half an inch to prevent soiling.

EasyClick Milk Flask

With the convenient EasyClick feature, the milk flask simply clicks into and out of place at the front of the machine. The Generation 6000 coffee systems offer, along with EasyClick, another new feature: a high-quality glass milk container. Apart from easy cleaning, glass has the benefit of being transparent, allowing you to see when milk needs replenishing. Both the glass and lid are dishwasher-safe.

Eco Mode

To keep energy consumption as low as possible, in Eco Mode the coffee system starts heating up just before the first beverage is made. Depending on your needs, this feature can be selected or deselected from the basic settings menu.

Ground Coffee Chute

The Miele CVA 6000 features a bean container as well as a separate chute for ground coffee. This allows you to easily make a second type of coffee, for instance decaffeinated coffee, without switching the beans.

Individual Settings

Depending on the coffee type and the desired flavour intensity, various parameters can be customized to suit individual tastes: grind, ground quantity, brew temperature, pre-brew cycle and water quantity. This allows you to extract the best flavour from all types of coffee and ensures the best delivery of aroma for every cup of coffee.

OneTouch and OneTouch for Two

Make two portions of one drink at the same time by simply pressing the appropriate button once. Place two cups under each half of the central spout for two separate drinks, or one large cup under both for a double portion of your favourite coffee beverage.

Optional Plumbed-In Water Supply

Miele offers coffee systems with water reservoirs, as well as a plumbed-in model, which eliminates the need to replenish the water container.

Removable Brew Unit

The brew unit is the heart and soul of automatic coffee making. The Miele brew unit can be easily removed and cleaned, which ensures that the machine produces coffee of the same high quality for many years.

System Lock

The system lock can be selected at the touch of a button, preventing unintentional operation, for example by children.

Timer Functions

Switch-on and switch-off times can be programmed as needed. To conserve electricity, the coffee system can also be switched off completely if it has not been used for a long period of time.

User Profiles

Save up to 10 personalized user profiles. Set individual requirements for coffee quantity, water temperature and quantity/preparation of milk (if required) and enjoy your perfect café-style drink at home.

Miele Experience Centre Toronto

161 Four Valley Drive
Vaughan, ON
L4K 4V8
www.miele.ca
Email: mieletoronto@miele.ca
Tel: 1.866.758.0462

Miele Experience Centre Vancouver

69 Smithe Street
Vancouver, BC
V6B 1C3
www.miele.ca
Email: mielevancouver@miele.ca
Tel: 1.866.758.0462

Miele Experience Centre Montréal

3055, rue Jules-Brillant
Laval, QC
H7P 6B2
www.miele.ca
Email: mielemontreal@miele.ca
Tel: 1.866.758.0462

Miele Experience Centre Calgary

503 10th Avenue SW
Calgary, AB
T2R 0A8
www.miele.ca
Email: mielecalgary@miele.ca
Tel: 1.866.758.0462

Customer Care:

Questions about your Miele Appliances?
Email: customercare@miele.com
Tel: 1.800.565.6435

Effective Date / Date Effective : 09/14

Note: Product information and prices subject to change without notice. Please verify with latest information on miele.ca.

Miele dans le monde**Foreign Sales Companies**

(A)	Miele Ges.m.b.H., Wals/Salzburg
(AUS)	Miele Australia Pty. Ltd., Melbourne
(B)	N.V. Miele S.A., Mollem
(CDN)	Miele Limited, Vaughan/Ontario
(CH)	Miele AG, Spreitenbach
(CL)	Miele Electrodomésticos Ltda., Santiago de Chile
(CN)	Miele Shanghai Trading Ltd., Shanghai
(CZ)	Miele spol.s.r.o., Brno
(D)	Miele & Cie. KG, Gütersloh
(DK)	Miele A/S, Glostrup/Copenhagen
(E)	Miele S.A., Alcobendas/Madrid
(EST)	Miele SIA Eesti filiaal, Tallinn
(F)	Miele S.A.S., Le Blanc-Mesnil/Paris
(FIN)	Miele Oy, Vantaa/Helsinki
(GB)	Miele Company Ltd., Abingdon
(GR)	Miele Hellas E.P.E., Psychiko-Athens
(H)	Miele Kft., Budapest
(HK)	Miele Hong Kong Ltd., Hong Kong
(HR)	Miele d.o.o., Zagreb
(I)	Miele Italia S.R.L., Appiano
(IND)	Miele Appliances India Private Ltd., New Delhi
(IRL)	Miele Ireland Ltd., Dublin
(J)	Miele Japan Corp., Meguro-ku/Tokyo
(KZ)	Miele Liability Partnership, Almaty
(L)	Miele s.à r.l., Luxembourg
(LT)	SIA "Miele" Lietuvos filialas, Vilnius
(LV)	Miele SIA, Riga
(MAL)	Miele Sdn Bhd, Kuala Lumpur
(MEX)	Miele S.A. de C.V., Mexico City
(N)	Miele AS, Nesbru/Oslo
(NL)	Miele Nederland B.V., Vianen
(NZ)	Miele New Zealand Ltd., Auckland
(P)	Miele Portuguesa Lda., Carnaxide/Lisbon
(PL)	Miele Sp. z o. o., Warsaw
(RO)	Miele Appliances S.R.L., Otopeni
(ROK)	Miele Korea Ltd., Seoul
(RU)	000 Miele CIS, Moscow
(S)	Miele AB, Solna/Stockholm
(SGP)	Miele Pte. Ltd., Singapore
(SK)	Miele spol.s.r.o., Bratislava
(SLO)	Miele d.o.o., Ljubljana
(SRB)	Miele d.o.o., Belgrade
(TR)	Miele Elektrikli Aletier, Levent/Istanbul
(UA)	Miele LLC, Kiev
(UAE)	Miele Appliances Ltd., Dubai
(USA)	Miele, Inc., Princeton/New Jersey
(ZA)	Miele (PTY) Ltd., Bryanston/Johannesburg