

Miele

My Brochure



HR 1421 208V

30 inch range
in all AIIElectric design.



- 7-segment display with rotary selector - Direct Select
- Large variety - four powerful electric cooking zones + 1
- Rapid heating and even heat distribution – TwinPower
- Minimal cleaning effort - Pyrolytic cleaning
- Easy opening & closing, door with noise & vibration absorbers

Price \$ 8,649.00*

* Excludes all applicable taxes and delivery charges

Heating type	
All electric	•
Cooktop	Electric
Construction type	
Range	•
Appliance width in inches	30
Operating modes	
Defrost	•
Broil	•
Convection Bake	•
Surround	•
Bake	•
Convection Broil	•
Design	
Colour	CleanTouch Steel
Oven display	DirectSelect
Cooktop features	
Heating type	Electric
Number of electric cooking zones	4
Variable cooking zones	3 rings
Residual heat indicator	•
User convenience	
Metal knobs	•
Time-of-day display	•
Timer	•
Clock battery backup in h	•
Safety shut-off	•
Programmable cooking duration	•
Actual temperature display	•
Audible signal when desired temperature is reached	•
Favourites	No
Individual settings	•
Appliance door	
CleanGlass door	•
Door contact switch	•
SoftClose oven door	•
Oven cavity	
Oven capacity in l	4.59 (130) ft³ (l)
Number of oven shelf levels	6
Number of halogen lights	double
TwinPower Convection Fans	•
Efficiency and sustainability	
Residual heat utilization	•
Rapid PreHeat	•

HR 1421 208V



30 inch range
in all AllElectric design.





Cleaning convenience	
Stainless steel front with partial CleanTouch Steel finish	•
Self Clean oven	•
Unheated catalyzer	•
Catalyzer	Unheated
Broiler can be lowered	•
Cooktop surface	Ceramic surface
Safety	
Appliance cooling system with touch-cool fronts	•
Safety shut-off	•
System lock	•
Door contact switch	•
Door lock during SelfClean	•
Technical data	
Appliance width in mm	30 (762)
Appliance height in mm (min.)	35 5/8 (902)
Appliance height in mm (max.)	37 1/8 (940)
Dimensions in mm (depth) with bullnose	27 3/4 (702)
Voltage in V	120
Fuse rating in A	50
Number of phases	1
Accessories supplied	
Universal tray with PerfectClean	1
Self Clean ready wire rack	1
Self Clean ready wire rack with rail system	1
Self Clean ready side racks	1

HR 1421 208V

30 inch range
in all AIIElectric design.





(x) = Toe-kick height adjustment 5" - 6 1/2" (127 mm - 165.1 mm)



(x) = Toe-kick height adjustment 5" - 6 1/2" (127 mm - 165.1 mm)

E = Electric connection



1 29 11/16" / 754 mm, 2 23 3/4" / 603,6 mm, 3 2 5/8" / 66,5 mm, 4 1 11/16" / 43 mm, 5 1 11/16" / 42,5 mm

(x) = Toe-kick height adjustment 5" - 6 1/2" (127 mm - 165.1 mm)

Miele Experience Centres

1.866.758.0462

MieleCentre.ca

Vancouver

Calgary

Toronto

Yorkdale (Toronto)

Montreal

Questions about your Miele Appliances?

Please visit: miele.ca/contact

Tel: 1.800.565.6435

miele.ca

Please note:

Product information and prices are subject to change without notice. Please refer to the latest information on miele.ca.