

Miele

My Brochure



HR 1136-1 G
36 inch range
in AllGas design.



- 7-segment display with rotary selector - Direct Select
- Maximum variety - four powerful burners and a griddle
- Rapid heating and even heat distribution – TwinPower
- Very easy to clean - Pyrolytic cleaning and dishwasher-proof pot rests
- Easy opening & closing, door with noise & vibration absorbers

Price \$ 12,949.00*

* Excludes all applicable taxes and delivery charges



Heating type	
All gas	•
Gas type	Natural gas
Construction type	
Range	•
Appliance width in inches	36
Operating modes	
Defrost	•
Maxi Broil	•
Convection Bake	•
Bake	•
Convection Broil	•
Design	
Colour	CleanTouch Steel
Oven display	DirectSelect
Cooktop features	
Number of gas burners	4
Number and power rating of gas burners in BTU/h	1 x 8.000
Number and power rating of gas burners in BTU/h	1 x 9.000
Number and power rating of gas burners in BTU/h	2 x 19.500
Simmer function	•
GasStop	•
Number and power rating of griddle surfaces in BTU/h	1 x 13.000
Griddle surface width in mm	10 1/4 (258) in (mm)
Griddle surface depth in mm	17 1/8 (434) in (mm)
User convenience	
Metal knobs	•
Time-of-day display	•
Timer	•
Clock battery backup in h	•
Safety shut-off	•
Programmable cooking duration	•
Audible signal when desired temperature is reached	•
Favourites	No
Individual settings	•
Appliance door	
CleanGlass door	•
Door contact switch	•
SoftClose oven door	•
Oven cavity	
Oven capacity in l	5.76 (163) ft ³ (l)
Number of oven shelf levels	6
Number of halogen lights	double
TwinPower Convection Fans	•

HR 1136-1 G
36 inch range
in AllGas design.




Efficiency and sustainability	
Residual heat utilization	•
Cleaning convenience	
Stainless steel front with partial CleanTouch Steel finish	•
Self Clean oven	•
Dishwasher-safe enamelled grates	•
Cooktop surface	Black enamel
Safety	
Appliance cooling system with touch-cool fronts	•
Safety shut-off	•
System lock	•
Door contact switch	•
Door lock during SelfClean	•
Technical data	
Appliance width in mm	36 1/8 (915)
Appliance height in mm (min.)	37 1/8 (942)
Appliance height in mm (max.)	38 5/8 (980)
Dimensions in mm (depth) with bullnose	27 3/4 (702)
Voltage in V	120
Fuse rating in A	15
Number of phases	1
Accessories supplied	
Universal tray with PerfectClean	1
Self Clean ready wire rack	1
Self Clean ready wire rack with rail system	1
Self Clean ready side racks	1


HR 1136-1 G
36 inch range
in AllGas design.




(x) = Toe-kick height adjustment 5" - 6 1/2" (127 mm - 165.1 mm)



1 29 11/16" / 754 mm, 2 23 3/4" / 603.6 mm, 3 2 5/8" / 66.5 mm, 4 1 11/16" / 43 mm, 5 1 11/16" / 42.5 mm



(x) = Toe-kick height adjustment 5" - 6 1/2" (127 mm - 165.1 mm)



E = Electric connection, G = Gas connection

Miele Experience Centres

1.866.758.0462

MieleCentre.ca

Vancouver

Calgary

Toronto

Yorkdale (Toronto)

Montreal

Questions about your Miele Appliances?

Please visit: miele.ca/contact

Tel: 1.800.565.6435

miele.ca

Please note:

Product information and prices are subject to change without notice. Please refer to the latest information on miele.ca.