

Miele

My Brochure



K 2912 Vi

MasterCool refrigerator

For high-end design and technology on a large scale.



- Push2open for convenient door-opening assistance
- Food stays fresh for up to 3 x longer thanks to SmartFresh
- Light floods the interior thanks to LED elements – BrilliantLight
- Convenient control thanks to colour touch display MasterSensor



Price \$ 14,099.00**

** Excludes all applicable taxes and delivery charges

Appliance category	
Refrigerator	•
Construction type	
Built-in appliance	•
Integrated appliance	•
Door hinging	Left
Convertible hinging	•
Can be installed side by side	•
Design	
Lighting	BrilliantLight
User convenience	
Networking with Miele@home	•
Freshness system	MasterFresh
DynaCool	•
SoftClose	•
SelfClose	•
Push2open	•
FullAccess	•
EasyClean	•
MaxLoad hinge	•
Controls	
User interface	MasterSensor
SuperCool	•
Number of temperature zones	2
Sabbath mode	•
Eco mode	•
Fridge / Fridge section	
Number of VeggieBoxes	1
Number of crisper drawers	2
SlidingShelf	•
Door rack for tins	1
Door rack for bottles	3
Efficiency and sustainability	
Energy Star	•
Safety	
Safety lock	•
Overflow protection	•
Acoustic door alarm	•
Acoustic temperature alarm, freezer section	•
Optical door alarm	•
Optical temperature alarm	•

K 2912 Vi

MasterCool refrigerator

For high-end design and technology on a large scale.



Technical data	
Niche width in inches (mm), min.	36 (914)
Niche width in inches (mm), max.	36 (914)
Niche height in inches (mm), min.	84 1/8 (2134)
Niche height in inches (mm), max.	84 1/8 (2134)
Niche depth in mm	24 7/8 (629)
Appliance width in mm	35 3/4 (908)
Appliance height in mm	83 3/4 (2125)
Appliance depth in mm	24 (608)
Weight in lbs (kg)	383 (173.6)
Door hinge technology	Fixed door
Max. weight of door, fridge section, in kg	82 (37)
Total usable capacity in l	20.55 (582) ft ³ (l)
Storage time in case of fault in h	17
Current consumption in milliamps (mA)	4000
Voltage in V	110-120
Fuse rating in A	10
Number of phases	1
Frequency in Hz	60
Length of power cable in m	9 (3)
Accessories supplied	
Active AirClean filter	•

K 2912 Vi

MasterCool refrigerator

For high-end design and technology on a large scale.



Available display languages

bahasa malaysia
english (AU)
français (FR)
italiano
magyar
nederlands
norsk
polski
română
slovenčina
slovenščina
suomi
українська

Available display languages via Language Options


english
english (CA)
english (GB)
português
türkçe
ελληνικά
deutsch
eesti
español
français
français (CA)
hrvatski
lietuviu
srpski
svenska
čeština

dansk
english (US)
latviesu
русский


K 2912 Vi

MasterCool refrigerator



For high-end design and technology on a large scale.



A) Appliance door, K 2611 Vi, KWT 2611 Vi, KWT 2611 SF, KWT 2671 ViS: 677 mm (26 2/3 inch);, K 2612 Vi, KWT 2612 Vi, KWT 2612 SF, KWT 2672 ViS: 677 mm (26 2/3 inch);, K 2811 Vi, K 2811 SF, KF 2811 Vi, KF 2811 SF: 829 mm (32 2/3 inch);, K 2812 Vi, K 2812 SF, KF 2812 Vi, KF 2812 SF: 829 mm (32 2/3 inch);, K 2911 Vi, K 2911 SF, KF 2911 Vi, KF 2911 SF: 982 mm (38 2/3 inch);, K 2912 Vi, K 2912 SF, KF 2912 Vi, KF 2912 SF: 982 mm (38 2/3 inch);, B) Furniture front (max. 38 mm) (1 1/2 inch), C) Door handle, D) Distance from the door to the wall (without furniture front and door handle);, K 2611 Vi, KWT 2611 Vi, KWT 2611 SF, KWT 2671 ViS: 296 mm (11 2/3 inch);, K 2612 Vi, KWT 2612 Vi, KWT 2612 SF, KWT 2672 ViS: 296 mm (11 2/3 inch);, K 2811 Vi, K 2811 SF, KF 2811 Vi, KF 2811 SF: 363 mm (14 1/3 inch);, K 2812 Vi, K 2812 SF, KF 2812 Vi, KF 2812 SF: 363 mm (14 1/3 inch);, K 2911 Vi, K 2911 SF, KF 2911 Vi, KF 2911 SF: 428 mm (16 7/8 inch);, K 2912 Vi, K 2912 SF, KF 2912 Vi, KF 2912 SF: 428 mm (16 7/8 inch);, E) ONLY valid for SF versions: A + 25 mm (1 inch)



1) Heating mat KSK 2001 (EU, AUS, CN) or KSK 2002 (US, CA, MX, BR)






1. View from the front, 2. Mains connection cable, L = 3000 mm (118 inch), 3. No water/ELT connections permitted in this area

K 2912 Vi

MasterCool refrigerator

For high-end design and technology on a large scale.



1. KSK 2001/2002, 2. Device A, 3. Device B, A = niche device A, B = niche device B

Miele Experience Centres

1.866.758.0462

MieleCentre.ca

Vancouver

Calgary

Toronto

Yorkdale (Toronto)

Montreal

Questions about your Miele Appliances?

Please visit: miele.ca/contact

Tel: 1.800.565.6435

miele.ca

Please note:

Product information and prices are subject to change without notice. Please refer to the latest information on miele.ca.